



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D206-642-349
Job Sheet 200006



Part No: D206-642-349

Job Qty: 2 pcs

Part Name: Run-on Landing Wearplates, 206L Series/ 407 Low & High Gear Fits LH or RH



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 9/5/19

Job Tracking No:

Due Date: 9/20/19

Created By: Marie Lajeunesse

Type: SOLD

Description: ORDER 19307

Note: DWG REV Q SHEETS 29-30 IPP REV:A 11.09.22 new issue DD verf:EC

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
110	Packaging 1 - Pick Kit	2 pcs	9/20/19		0.00	0.00	Packaging 1 - 1		
							Packaging 1 - 2		
							Packaging 1 - 3		
							Packaging 1 - 4		
							Packaging 1 - 5		
							Packaging 1 - 6		
							Packaging 1 - 7		
							Packaging 1 - 8		
							Packaging 1 - 9		
							Packaging 1 - 10		
							Packaging 1 - 11		
							Packaging 1 - 12		
							Packaging 1 - 13		
							Packaging 1 - 14		
							Packaging 1 - 15		
							Packaging 1 - 16		
							Packaging 1 - 17		
							Packaging 1 - 18		
							Packaging 1 - 19		
							Packaging 1 - 20		
							Packaging 1 - 21		
							Packaging 1 - 22		
							Packaging 1 - 23		
							Packaging 1 - 24		
							Packaging 1 - 25		
							Packaging 1 - 26		
							Packaging 1 - 27		
							Packaging 1 - 28		
							Packaging 1 - 29		
							Packaging 1 - 30		
							Packaging 1 - 31		

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaero.com



Container No: S218222

Part: D206-642-349

Job No: 200006

Serial No/Batch: S218222

Revision:

Inspector:

Exp Date:

Instructions: FAA STC SA00475SE 18/HQ/17435JG,STC SH98 -

					Packaging 1 - 32	
					Packaging 1 - 33	
					Packaging 1 - 34	
					Packaging 1 - 35	
					Packaging 1 - 36	
120 QC 4	2 pcs	9/20/19	0.00 0.00		QC 4 - 28	
					QC 4 - 58	
					QC 4 - 69	
					QC 4 - 9	
					QC 4 - 46	
					QC 4 - 68	
					QC 4 - 72	
					QC 4 - 74	
					QC 4 - 75	
						DAS 78 9-89
130 Packaging 3-1 - Stock - B4B	2 pcs	9/20/19	0.00 0.00		Packaging 3 - 1 - B4B	
					Packaging 3 - 2 - B4B	
					Packaging 3 - 3 - B4B	
					Packaging 3 - 4 - B4B	
					Packaging 3 - 5 - B4B	
					Packaging 3 - 6 - B4B	
					Packaging 3 - 7 - B4B	
					Packaging 3 - 8 - B4B	
					Packaging 3 - 9 - B4B	
					Packaging 3 - 10 - B4B	
					Packaging 3 - 11 - B4B	
					Packaging 3 - 12 - B4B	
					Packaging 3 - 13 - B4B	
					Packaging 3 - 14 - B4B	
					Packaging 3 - 15 - B4B	
					Packaging 3 - 16 - B4B	
					Packaging 3 - 17 - B4B	
					Packaging 3 - 18 - B4B	
					Packaging 3 - 19 - B4B	
					Packaging 3 - 20 - B4B	
					Packaging 3 - 21 - B4B	
					Packaging 3 - 22 - B4B	
					Packaging 3 - 23 - B4B	
					Packaging 3 - 24 - B4B	
					Packaging 3 - 25 - B4B	
					Packaging 3 - 26 - B4B	
					Packaging 3 - 27 - B4B	
					Packaging 3 - 28 - B4B	
					Packaging 3 - 29 - B4B	
					Packaging 3 - 30 - B4B	
					Packaging 3 - 31 - B4B	
					Packaging 3 - 32 - B4B	
					Packaging 3 - 33 - B4B	
					Packaging 3 - 34 - B4B	
					Packaging 3 - 35 - B4B	
					Packaging 3 - 36 - B4B	
						DAS 78 9-89
135 DC - 1 - B4B	2 pcs	9/20/19	0.00 0.00		DC - 1 - B4B	
					DC - 2 - B4B	
						DAS 21 9-89
140 QC 21 - FG	2 pcs	9/20/19	0.00 0.00		QC 21 - FG - 21	
					QC 21 - FG - 70	
					QC 21 - SA - 53	
						DAS 21 9-89
Part Op 110 - (Pick Kit)						
Descriptions: 120 - (QC4- 100% Inspect kits for completeness)						
130 - Identify and pack for shipping as per PPP D206-642-349 Location: _____ PPP rev: _____						
135 - (Document Control) Photocopy bluefile and create labels per PPP D206-642-349 CHG001						
140 - (QC21- Final Inspection - Work Order Release)						
SEP 30 2019						

012152

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
AN3-36A	Bolt	18 Ea (9 ea)	110-Packaging 1 - Pick Kit	5203178
D2649	Cross Bolt Spacer	8 pcs (4 ea)	110-Packaging 1 - Pick Kit	524176
D3873-1	Bushing	36 pcs (18 ea)	110-Packaging 1 - Pick Kit	5219514
D4364-041	Run-on Landing Wearplate Fwd	2 pcs (1 ea)	110-Packaging 1 - Pick Kit	5163894
D4364-043	Run-on Landing Wearplate Aft	2 pcs (1 ea)	110-Packaging 1 - Pick Kit	5213100
MS21042-3	Not use MS21042L3 per CSI 017	18 Ea (9 ea)	110-Packaging 1 - Pick Kit	5204283
NAS1149C0332R	Washer (AN960C10L)	18 Ea (9 ea)	110-Packaging 1 - Pick Kit	5211548

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
110-Packaging 1 - Pick Kit	AN3-36A	18	45	0
	D2649	8	31	0
	D3873-1	36	88	0
	D4364-041	2	5	0
	D4364-043	2	0	0
	MS21042-3	18	466	0
	NAS1149C0332R	18	3,441	0

Part Specifications

Specifications could not be found.

Plex 9/5/19 3:22 PM Dart.lajeunesse.marie

Entered: _____ Date: _____

WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only



Job: _____ Part No. _____		DISPOSITION Rework ☐ ☐ ☐ Scrap ☐ ☐ ☐ Use-as-is ☐ ☐ ☐				DEPARTMENT/PROCESS Skid-tube ☐ ☐ ☐ ☐ ☐ Machining ☐ ☐ ☐ ☐ ☐ Large Fab ☐ ☐ ☐ ☐ ☐				Cross tube ☐ ☐ ☐ ☐ ☐ Small Fab ☐ ☐ ☐ ☐ ☐ Finishing ☐ ☐ ☐ ☐ ☐				Eng. (Non-AW) ☐ ☐ ☐ ☐ ☐ Prod. Eng. Coord. ☐ ☐ ☐ ☐ ☐ Rec/Store/Packaging ☐ ☐ ☐ ☐ ☐				Engineering ☐ ☐ ☐ ☐ ☐ Water Jet ☐ ☐ ☐ ☐ ☐ Supplier ☐ ☐ ☐ ☐ ☐ Quality ☐ ☐ ☐ ☐ ☐																																																																	
Date : _____		Sequence #: _____		QTY Affected : _____		MRB (Q\$1042) _____																																																																													
Description Work Order Deviation						Disposition																																																																													
Root Cause <table border="1"> <tr> <td>Operator</td><td>☐</td> </tr> <tr> <td>Manufacturing Process</td><td>☐</td> </tr> <tr> <td>Equip/Tooling</td><td>☐</td> </tr> <tr> <td>Handling/Preservation</td><td>☐</td> </tr> <tr> <td>Material</td><td>☐</td> </tr> <tr> <td>Product Improvement</td><td>☐</td> </tr> <tr> <td>Process Improvement</td><td>☐</td> </tr> <tr> <td>Human Factors</td><td>☐</td> </tr> </table>						Operator	☐	Manufacturing Process	☐	Equip/Tooling	☐	Handling/Preservation	☐	Material	☐	Product Improvement	☐	Process Improvement	☐	Human Factors	☐	FAULT CATEGORY <table border="1"> <tr> <td>Pressure/Forced</td><td>☐</td> <td>Contamination</td><td>☐</td> <td>Power Loss/Surge</td><td>☐</td> <td>Positioned Wrong</td><td>☐</td> </tr> <tr> <td>Bending</td><td>☐</td> <td>Misaligned/off center</td><td>☐</td> <td>Folio/Program</td><td>☐</td> <td>Outside Tolerance</td><td>☐</td> </tr> <tr> <td>Crushing</td><td>☐</td> <td>BOM/Route</td><td>☐</td> <td>Grain Direction</td><td>☐</td> <td>Drawing</td><td>☐</td> </tr> <tr> <td>Cracks</td><td>☐</td> <td>Broken/Damage/Defect</td><td>☐</td> <td>Weld</td><td>☐</td> <td>Finish</td><td>☐</td> </tr> <tr> <td>Crimp/Kink/Ripple/Wave/Twist</td><td>☐</td> <td>Incomplete/Unclear Instructions</td><td>☐</td> <td>Wrong Stock Pulled</td><td>☐</td> <td>Part Lost/Missing</td><td>☐</td> </tr> <tr> <td>Marks/Chatter</td><td>☐</td> <td>Drill Holes</td><td>☐</td> <td>Out of Sequence</td><td>☐</td> <td>Misread</td><td>☐</td> </tr> <tr> <td>Mislabeled</td><td>☐</td> <td>Fit/Function</td><td>☐</td> <td>Off-set/Set-up</td><td>☐</td> <td></td><td></td> </tr> </table>						Pressure/Forced	☐	Contamination	☐	Power Loss/Surge	☐	Positioned Wrong	☐	Bending	☐	Misaligned/off center	☐	Folio/Program	☐	Outside Tolerance	☐	Crushing	☐	BOM/Route	☐	Grain Direction	☐	Drawing	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Finish	☐	Crimp/Kink/Ripple/Wave/Twist	☐	Incomplete/Unclear Instructions	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐	Marks/Chatter	☐	Drill Holes	☐	Out of Sequence	☐	Misread	☐	Mislabeled	☐	Fit/Function	☐	Off-set/Set-up	☐		
						Operator	☐																																																																												
						Manufacturing Process	☐																																																																												
Equip/Tooling	☐																																																																																		
Handling/Preservation	☐																																																																																		
Material	☐																																																																																		
Product Improvement	☐																																																																																		
Process Improvement	☐																																																																																		
Human Factors	☐																																																																																		
Pressure/Forced	☐	Contamination	☐	Power Loss/Surge	☐	Positioned Wrong	☐																																																																												
Bending	☐	Misaligned/off center	☐	Folio/Program	☐	Outside Tolerance	☐																																																																												
Crushing	☐	BOM/Route	☐	Grain Direction	☐	Drawing	☐																																																																												
Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Finish	☐																																																																												
Crimp/Kink/Ripple/Wave/Twist	☐	Incomplete/Unclear Instructions	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐																																																																												
Marks/Chatter	☐	Drill Holes	☐	Out of Sequence	☐	Misread	☐																																																																												
Mislabeled	☐	Fit/Function	☐	Off-set/Set-up	☐																																																																														
Other/Details: _____																																																																																			
Completed By _____						Lead hand / Supervisor _____																																																																													
QC / QA Coordinator _____						QC / QA Coordinator _____																																																																													

4.5 206 L/L-1/L-3/L-4/407 LOW & HIGH GEAR SKIDTUBES

ITEM	QTY -311	QTY -312	QTY -313	QTY -314	QTY -341	QTY -357	QTY -349	QTY -351	QTY -013	PART NUMBER	DESCRIPTION
	X									D206-642-311	SKIDTUBE INSTALLATION, LH
		X								D206-642-312	SKIDTUBE INSTALLATION, RH
			X							D206-642-313	SKIDTUBE INSTALLATION, LH
				X						D206-642-314	SKIDTUBE INSTALLATION, RH
	1	1			X					D206-642-341	SKIDTUBE
						X				D206-642-357	WEARSHOE KIT (REPLACES -347)
							X			D206-642-349	RUN-ON LANDING WEARPLATE KIT
			1	1				X		D206-642-351	SKIDTUBE
	1	1	1	1					X	D206-648-013	GROUND HANDLING KIT
1					1					D2650-5	SKIDTUBE ASSEMBLY
1								1		D4361-041	SKIDTUBE ASSEMBLY
2A					14			4		D2651-1	* PLUG ⁽¹⁾
2B					14			4		D2651-3	* O-RING ⁽¹⁾
3					1			1		D2646	* AFT CAP ⁽¹⁾
4					2			2		MS27039-1-08	* SCREW ⁽¹⁾
5					2			2		NAS1149D0332J	* WASHER ⁽¹⁾ (OR AN960JD10L)
6	1		1							D2932-1	SADDLE, FWD OUT, LH
6		1		1						D2932-2	SADDLE, FWD OUT, RH
7	1		1							D2933-1	SADDLE, FWD IN, LH
7		1		1						D2933-2	SADDLE, FWD IN, RH
8	1		1							D2938-1	SADDLE, AFT OUT, LH
8		1		1						D2938-2	SADDLE, AFT OUT, RH
9	1		1							D2939-1	SADDLE, AFT IN, LH
9		1		1						D2939-2	SADDLE, AFT IN, RH
10	8	8	8	8						AN3-41A	BOLT
11	16	16	16	16						D2652	BUSHING
12A	8	8	8	8						MS21042-3	NUT (OR MS21042L3)
12B	8	8	8	8						NAS1149D0363J	WASHER (OR AN960JD10)
13	4	4	4	4						AN5-10A (OR AN5-11A)	* BOLT ⁽²⁾
14	4	4	4	4						AN5-11A (OR AN5-12A)	* BOLT ⁽²⁾
15	8	8	8	8						NAS1149D0563J	WASHER (OR AN960JD516)
16	12	12	12	12						AN4-6A	BOLT
17	24	24	24	24						NAS1149D0463J	WASHER (OR AN960JD416)
18	12	12	12	12						MS21042-4	NUT (OR MS21042L4)
20A					6	6				D3537-1	WEARPAD (REPLACES D2648-3)
21A					1	1				D3537-3	WEARPAD (REPLACES D3429-1)
22A					1	1				D4956-11	WEARSHOE (REPLACES D3535-11 + D3536-11)
23A					1	1				D4956-23	WEARSHOE (REPLACES D3535-23 + D3536-23)
24A					1	1				D4956-35	WEARSHOE (REPLACES D3535-35 + D3536-35)
26A					54	54				MS27038C1-08	SCREW
26B					54	54				NAS1149C0332R	WASHER (OR AN960C10L)
26C					54					ALS7-1032-130	* INSERT ⁽¹⁾ (or AKS4-1032-130, ALS4-1032-130, AELS-1032-130)
30	1	1	1	1						D3407-043	TOW RING ASSEMBLY (REPLACES D2968-043)
32A	1	1	1	1						D3456-1	WASHER
32B	2	2	2	2						D3457-1	WASHER
33	1	1	1	1						MS21043-4	NUT
34	1	1	1	1						AN4C5A	BOLT
35	1	1	1	1						NAS1149C0463R	WASHER (OR AN960C416)
36	1	1	1	1						D3413-1	RING (REPLACES D2655)
37	10	10	10	10						D2712	SET SCREW
38	2	2	2	2						D2934	SADDLE SPACER
39	2	2	2	2						D2935	SADDLE SPACER
40									2	D3414-041	GHW LUG (REPLACES D2659)
41									4	AN3C37A	BOLT
42									8	D2652	BUSHING
43									4	MS21043-3	NUT
44									4	NAS1149C0363R	WASHER (OR AN960C10)

• COPYRIGHT © 2000 BY DART AEROSPACE USA, INC. •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC

Revision: Q

Date: 13.08.12

ITEM	QTY -311	QTY -312	QTY -313	QTY -314	QTY -341	QTY -357	QTY -349	QTY -351	QTY -013	PART NUMBER	DESCRIPTION
50							1	1		D4364-041	FWD WEARPLATE ASSY
51							1	1		D4364-043	AFT WEARPLATE ASSY
52							18	18		D3873-1	BUSHING
53										D2649	SPACER
54A							9	9		AN3-36A	BOLT
54B							9	9		NAS1149C0332R	WASHER (OR AN980C10L)
54C							9	9		MS21042-3	NUT

NOTES: (1) DENOTES THAT PART IS INCLUDED WITH D2650-5 OR D4361-041 ASSEMBLY ABOVE
 (2) CHOICE OF BOLT WILL DEPEND ON CROSSTUBE (SEE INSTALLATION PROCEDURE)

• COPYRIGHT © 2000 BY DART AEROSPACE USA, INC. •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Revision: Q
 Date: 13.08.12